


Scenario # 404: A CLEC orders 2 business unbundled analog ports from BST for a resale business customer.

Scenario Description:

A CLEC orders 2 business unbundled analog ports from BST for one of its resale business customers.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 405: A CLEC orders 26 business unbundled analog ports from BST for a resale business customer.

Scenario Description:

A CLEC orders 26 business unbundled analog ports from BST for one of its resale business customers.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	V
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 406: A CLEC orders 3 residential unbundled analog ports from BST for a resale residential customer.

Scenario Description:

A CLEC orders 3 residential unbundled analog ports from BST for one of its resale residential customers.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:

Supplement	X
Errors	X
Cancel	
Directory Listing	X


Modified

Scenario # 407: A CLEC orders a change (e.g., add call waiting) on 2 business unbundled analog ports in response to a CLEC customer.

Scenario Description:

A CLEC orders a change -(e.g., add call waiting) - on 2 business unbundled analog ports in response to a CLEC customer complaint.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	C
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	

Scenario # 408: A CLEC orders a change on 26 business unbundled analog ports in response to a CLEC customer complaint.

Scenario Description:

A CLEC orders a change on 26 business unbundled analog ports in response to a CLEC customer complaint.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	C
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 409: A CLEC orders a change - add call waiting - on 2 business unbundled analog ports in response to a CLEC customer.

Scenario Description:

A CLEC orders a change - add call waiting - on 2 residential unbundled analog ports in response to a CLEC customer complaint.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	C
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 412: A CLEC orders a suspend on 2 business unbundled analog ports.

Scenario Description:

A CLEC orders a suspend on 2 business unbundled analog ports.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	SS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 413: A CLEC orders a suspend on 26 business unbundled analog ports.

Scenario Description:

A CLEC orders a suspend on 26 business unbundled analog ports.

Network Configuration:



DELETE

Scenario Summary:

REQTYPE	F
ACT TYPE	SS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 414: A CLEC orders a suspend on 2 residential unbundled analog ports.

Scenario Description:

A CLEC orders a suspend on 2 residential unbundled analog ports.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	SS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 415: A CLEC orders a restore on 2 business unbundled analog ports.

Scenario Description:

A CLEC orders a restore on 2 business unbundled analog ports.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	RS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	X
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 416: A CLEC orders a restore on 26 business unbundled analog ports.

Scenario Description:

A CLEC orders a restore on 26 business unbundled analog ports.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	RS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 417: A CLEC orders a restore on 2 residential unbundled analog ports.

Scenario Description:

A CLEC orders a restore on 2 residential unbundled analog ports.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	RS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	

Scenario # 418: *An existing CLEC business customer is going out of business and disconnects both unbundled analog ports.*

Scenario Description:

An existing CLEC business customer is going out of business. The CLEC orders BST to disconnect both of its customer's unbundled analog ports.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	D
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 419: *An existing CLEC residential customer is moving and disconnects both unbundled analog ports.*

Scenario Description:

An existing CLEC residential customer is moving to another state. The CLEC orders BST to disconnect both of its customer's unbundled analog ports from BST.

Network Configuration:



Scenario Summary:

REQTYPE	F
ACT TYPE	D
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 420: A CLEC orders 2 new business unbundled analog loop-port combinations from BST.

Scenario Description:

A CLEC orders 2 new business unbundled analog loop-port combinations from BST in support of a new business customer's service request.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	A
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 421: A CLEC orders 26 new business unbundled analog loop-port combinations from BST.

Scenario Description:

A CLEC orders 26 new business unbundled analog loop-port combinations from BST in support of a new business customer's service request.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	A
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 422: A CLEC orders 2 new residential unbundled analog loop-port combinations from BST.

Scenario Description:

A CLEC orders 2 new residential unbundled analog loop-port combinations from BST in support of a new residential customer's service request.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	A
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 423: A CLEC orders 2 business unbundled analog loop-port combinations from BST.

Scenario Description:

A CLEC orders 2 business unbundled analog loop-port combinations from BST in support of a full migration service request from an existing BST business customer. The business customer lines are migrated "as-specified" to the CLEC.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 424: A CLEC orders 26 business unbundled analog loop-port combinations in support of a full migration service request from an existing BST business customer.

Scenario Description:

A CLEC orders 26 business unbundled analog loop-port combinations in support of a full migration service request from an existing BST business customer. The business customer lines are migrated "as-specified" to the CLEC.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 425: A CLEC orders 2 residential unbundled analog loop-port combinations in support of a full migration service request from an existing BST residential customer.

Scenario Description:

A CLEC orders 2 residential unbundled analog loop-port combinations in support of a full migration service request from an existing BST residence customer. The received customer lines are migrated "as-specified" to the CLEC.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 426: A CLEC orders 2 business unbundled analog loop-port combinations for one of its resale business customers.

Scenario Description:

A CLEC orders 2 business unbundled analog loop-port combinations for one of its resale business customers.

Network Configuration:



DELETE

Scenario Summary:

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 427: A CLEC orders 26 business unbundled analog loop-port combinations from BST for one of its resale business customers.

Scenario Description:

A CLEC orders 26 business unbundled analog loop-port combinations from BST for one of its resale business customers.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 428: A CLEC orders 2 residential unbundled analog loop-port combinations from BST for one of its resale residential customers.

Scenario Description:

A CLEC orders 2 residential unbundled analog loop-port combinations from BST for one of its resale residential customers.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 429: A CLEC orders a change on 2 business unbundled analog loop-port combinations in response to a CLEC customer complaint.

Scenario Description:

A CLEC orders a change on 2 business unbundled analog loop-port combinations in response to a CLEC customer complaint.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	C
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	

Scenario # 430: A CLEC orders a change on 26 business unbundled analog loop-port combinations in response to a CLEC customers complaint.

Scenario Description:

A CLEC orders a change on 26 business unbundled analog loop-port combinations in response to a CLEC customer complaint.

Network Configuration:



DELETE

Scenario Summary:

REQTYPE	M
ACT TYPE	C
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 431: A CLEC orders a change on 1 residential unbundled analog loop - port combination in response to a CLEC customer complaint.

Scenario Description:

A CLEC orders a change on 1 residential unbundled analog loop-port combination in response to a CLEC customer complaint.

Network Configuration:



DELETE

Scenario Summary:

REQTYPE	M
ACT TYPE	C
Partial Migration	
Flow-Through	X

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 432: An existing CLEC business customer moves from the 3rd to the 5th floor of an office complex. The CLEC orders an outside move on both of its customer's unbundled analog loop-port combinations from BST.

Scenario Description:

An existing CLEC business customer moves from the 3rd to the 5th floor of an office complex. The CLEC orders an inside move on both of its customer's unbundled analog loop-port combinations from BST.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	M
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 433: An existing CLEC residential customer moves from the 2nd to the 3rd floor in an apartment building. The CLEC orders an inside move on its customer's unbundled analog loop-port combinations from BST.

Scenario Description:

An existing CLEC residential customer moves from the 2nd to the 3rd floor in an apartment building. The CLEC orders an inside move on its customer's unbundled analog loop-port combinations from BST.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	M
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 434: An existing CLEC business customer moves from the 3rd to the 5th floor in an office complex - different tenant. The CLEC orders an outside move on both of its customer's unbundled analog loop-port combinations from BST.

Scenario Description:

An existing CLEC business customer moves from the 3rd to the 5th floor in an office complex - different tenant. The CLEC orders an outside move on both of its customer's unbundled analog loop-port combinations from BST.

Network Configuration:



DELETE

Scenario Summary:

REQTYPE	M
ACT TYPE	T
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

Scenario # 435: An existing CLEC residential customer moves across town. The CLEC orders an outside move on its customer's unbundled analog loop-port combination from BST.

Scenario Description:

An existing CLEC business customer moves from the 3rd to the 5th floor in an office complex. The CLEC orders an outside move on its customer's unbundled analog loop-port combination from BST.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	T
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	X

Scenario # 438: A CLEC orders a suspend on 2 business unbundled analog loop-port combinations.

Scenario Description:

A CLEC orders a suspend on 2 business unbundled analog loop-port combinations.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	SS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	X
Directory Listing	

Scenario # 439: A CLEC orders a suspend on 26 business unbundled analog loop-port combinations.

Scenario Description:

A CLEC orders a suspend on 26 business unbundled analog loop-port combinations.

Network Configuration:



DELETE

Scenario Summary:

REQTYPE	M
ACT TYPE	SS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 440: A CLEC orders a suspend on 2 residential unbundled analog loop-port combinations.

Scenario Description:

A CLEC orders a suspend on 2 residential unbundled analog loop-port combinations.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	SS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 441: A CLEC orders a restore on 2 business unbundled analog loop-port combinations.

Scenario Description:

A CLEC orders a restore on 2 business unbundled analog loop-port combinations.

Network Configuration:



Scenario Summary:

REQTYPE	M
ACT TYPE	RS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

Test Case Requirements:


Supplement	X
Errors	X
Cancel	
Directory Listing	

Scenario # 442: A CLEC orders a restore on 26 business unbundled analog loop-port combinations.

Scenario Description:

A CLEC orders a restore on 26 business unbundled analog loop-port combinations.

Network Configuration:



DELETE

Scenario Summary:

REQTYPE	M
ACT TYPE	RS
Partial Migration	
Flow-Through	

Scenario Characteristics:

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

Test Case Requirements:

Supplement	X
Errors	X
Cancel	
Directory Listing	